

L Number	Hits	Search Text	DB	Time stamp
3	26085	(composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3) with (woven or hatch\$2 or cross\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:28
4	4325	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:30
5	126	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5) same (rod or bar or pushrod or push\$1rod)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:30
6	21	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5)) and (123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:54
7	1	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5) same (rod or bar or pushrod or push\$1rod)) and (123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:54
-	354	123/90.61.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:05
-	33	123/90.61.ccls. and mat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:06
-	6	(123/90.61.ccls. and mat\$3) and composite	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:10
-	66	(push adj rod or pushrod or push\$1rod) and composite and adjust\$4 and (ball or spherical\$2 or round\$4) near2 end	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:12
-	13	((push adj rod or pushrod or push\$1rod) and composite and adjust\$4 and (ball or spherical\$2 or round\$4) near2 end) and (123/\$.ccls. or 74/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:23
-	7	4589384.URPN.	USPAT	2004/07/19 16:17
-	18	("1500901"   "1770730"   "1874471"   "2067114"   "2346737"   "2404478"   "2634714"   "2746436"   "2809618"   "2812750"   "2865352"   "3132636"   "3450228"   "3699934"   "3717134"   "3875911"   "4186696"   "4231267").PN.	USPAT	2004/07/19 16:21
-	0	english==eric-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:23

-	0	english==eric.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:23
-	0	english-eric-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:23
-	0	english-eric.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:23
-	17	"4186696"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:29
-	15	4453505.URPN.	USPAT	2004/07/19 16:26
-	5	("3748304"   "4016140"   "4186696"   "4218996"   "4224214").PN.	USPAT	2004/07/19 16:28
-	22	"4848286"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:31
-	7	"5083884"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:31
-	11	"5983849"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:32
-	4	"6216557"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:32
-	459	123/90.61,90.62,90.64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:41
-	2372	74/579R,586,587,590,593,594.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:42
-	94	29/888.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:42
-	389	464/183.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:42
-	1419	138/124,137.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:43
-	18	123/90.61,90.62,90.64.ccls. and 29/888.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:44
-	10	74/579R,586,587,590,593,594.ccls. and 29/888.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:47
-	0	464/183.ccls. and 29/888.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:47
-	0	138/124,137.ccls. and 29/888.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:47

-	23	123/90.61,90.62,90.64.ccls. and 74/579R,586,587,590,593,594.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:48
-	1	123/90.61,90.62,90.64.ccls. and 464/183.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:49
-	0	123/90.61,90.62,90.64.ccls. and 138/124,137.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:49
-	4685	123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:30
-	68	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and layer\$3 with (bar or rod or pushrod)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:51
-	0	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and layer\$3 with (adjust\$4 near\$4 (bar or rod or pushrod))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:51
-	0	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (layer\$3 with (bar or rod or pushrod)) same adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 16:52
-	3	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (layer\$3 with (bar or rod or pushrod)) same var\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:00
-	9	123/90.61,90.62,90.64.ccls. and fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:01
-	5	123/90.61,90.62,90.64.ccls. and epoxy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:02
-	238	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and epoxy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:02
-	62	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and epoxy with fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:02
-	127	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$3 or sheet or woven) with epoxy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:25
-	459	123/90.61,90.62,90.64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:16
-	5	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$3 or sheet or woven) with epoxy) and 123/90.61,90.62,90.64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:18

-	2	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$3 or sheet or woven) with epoxy) and (lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:20
-	4	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) with epoxy same (lengthen or shorten or adjust\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:24
-	69	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) with (lengthen or shorten or adjust\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:25
-	9	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and ((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:31
-	10255	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod))))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:10
-	107	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and (123/\$.ccls. or 74/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:12
-	1	((US-RE35282-\$).did.)	USPAT	2004/07/20 10:58
-	1	((US-RE35282-\$).did.) and (lengthen or shorten or adjust\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:00
-	0	((US-RE35282-\$).did.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:01
-	0	((US-RE35282-\$).did.) and metal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:01
-	0	((US-RE35282-\$).did.) and aluminum	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:07
-	1	((US-RE35282-\$).did.) and bevel\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:08

-	24	((((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and (123/\$.ccls. or 74/\$.ccls.)) and (bevel\$3 or angl\$3 or angular) with (surface or mat\$3 or bond\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:09
-	1620	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and (bevel\$3 or angl\$3 or angular) with (surface or mat\$3 or bond\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 17:25
-	24	((((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and (bevel\$3 or angl\$3 or angular) with (surface or mat\$3 or bond\$3)) and (123/\$.ccls. or 74/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 11:12